ELSEVIER

European Journal of Pharmacology
Molecular Pharmacology Section 267 (1994) 349–351

ejp
molecular pharmacology

Author index

Ala-Uotila, S., see Marjamäki, A. (267) 117
Alfonso, A., Botana, M.A., Vieytes, M.R. and Botana, L.M.
Functional characterization of the Na^+-H^+ exchanger in rat mast cells: crosstalks between different kinase pathways (267) 289
Andersen, P.H., see Pedersen, U.B. (267) 85
Animati, F., see Feriotto, G. (267) 143
Aoyama, T., see Hattori, R. (267) R1
Arcamone, F., see Feriotto, G. (267) 143
Augenlicht, L.H., see Jarry, A. (267) 95

Barden, J.A., see Potter, E.K. (267) 253
Baron, B.M., see McClue, S.J. (267) 185
Basile, A.S., see Harris, B.D. (267) 269
Bazan, A., see Fraeyman, N. (267) 63
Beaufort, P., see Chatelain, P. (267) 151
Bidlack, J.M., see Joseph, D.B. (267) 1
Biggio, G., see Concas, A. (267) 207
Boel, E., see Thomsen, C. (267) 77
Borea, P.A., Varani, K., Dalpiaz, A., Capuzzo, A., Fabbri, E. and Ijzerman, A.P.
Full and partial agonistic behaviour and thermodynamic binding parameters of adenosine A_1 receptor ligands (267) 55
Botana, L.M., see Alfonso, A. (267) 289
Botana, M.A., see Alfonso, A. (267) 289
Bouvier, M., see Ng, G.YK. (267) 7
Boyd, R.S., Donnelly, L.E. and MacDermot, J.
Loss of responses to bradykinin, ATP or carbachol follows depletion of a shared pool of calcium ions (267) 161
Brüne, B., see Dimmeler, S. (267) 105

Cameron, B.-R., see Taverna, F.A. (267) R3
Capuzzo, A., see Borea, P.A. (267) 55
Caron, M., see Ng, G.YK. (267) 7
Carvalho, C.M., see Santos, D.L. (267) 307
Charleson, S., Evans, J.F., Léger, S., Perrier, H., Prasit, P., Wang, Z. and Vickers, P.J.
Structural requirements for the binding of fatty acids to 5-lipoxygenase-activating protein (267) 275
Chatelain, P., Dewinkeleer, P., Beaufort, P., Meysmans, L. and Clinet, M.
Characterization of the binding of [^{3}H]SR 33805 to the slow Ca^{2+} channel in rat heart sarcolemmal membrane (267) 151
Chen, J.-S., see Wang, C.-N. (267) 33
Chen, X., Nishimura, J., Hasna, J., Kobayashi, S., Shikasho, T. and Kanaide, H.
Protein kinase C and protein kinase A regulate the expression of angiotensin II receptor mRNA in smooth muscle cells (267) 175
Church, J., see Fletcher, E.J. (267) 249
Ciucci, A., see Feriotto, G. (267) 143
Clark, M.A., see West, Jr., R.E. (267) 343
Clinet, M., see Chatelain, P. (267) 151

Concas, A., Santoro, G., Mascia, M.P., Maciocco, E., Dazzi, L. and Biggio, G.
Effects of propofol, pentobarbital and alphaxalone on *t*-[^{35}S]butylbicyclophosphorothionate binding in rat cerebral cortex (267) 207

Dalpiaz, A., see Borea, P.A. (267) 55
Daviaud, D., see Larrouy, D. (267) 225
Dazzi, L., see Concas, A. (267) 207
DeBernardis, J.F., see Hancock, A.A. (267) 49
De Blas, A.L., see Ruano, D. (267) 121
Dennis, M., see Ng, G.YK. (267) 7
Devaud, L.L. and Morrow, A.L.
Effects of chronic ethanol administration on [^{3}H]zolpidem binding in rat brain (267) 243
Dewinkeleer, P., see Chatelain, P. (267) 151
Dimmeler, S., Meßmer, U.K., Tiegs, G. and Brüne, B.
Modulation of glyceraldehyde-3-phosphate dehydrogenase in *Salmonella abortus equi* lipopolysaccharide-treated mice (267) 105
Donnelly, L.E., see Boyd, R.S. (267) 161
Dutta, A.K., see Madras, B.K. (267) 167

Egan, R.W., see West, Jr., R.E. (267) 343
Eizawa, H., see Hattori, R. (267) R1
Evans, J.F., see Charleson, S. (267) 275

Fabbri, E., see Borea, P.A. (267) 55
Feriotto, G., Ciucci, A., Mischiati, C., Animati, F., Lombardi, P., Giacomini, P., Arcamone, F. and Gambari, R.
Binding of Epstein-Barr virus nuclear antigen 1 to DNA: inhibition by distamycin and two novel distamycin analogues (267) 143
Fisher, A., see Gurwitz, D. (267) 21
Fletcher, E.J., Church, J. and MacDonald, J.F.
Haloperidol blocks voltage-activated Ca^{2+} channels in hippocampal neurones (267) 249
Fraeyman, N., Bazan, A. and Vanscheeuwijck, P.
Thermodynamic analysis of isoproterenol binding to β-adrenoceptors in rat lung membranes (267) 63
Fraser, C.M., see Gurwitz, D. (267) 21
Freedman, S.B., see Patel, S. (267) 329
Freedman, S.B., see Smith, A.J. (267) 215
Fulcrand, P., see Lallement, J.-C. (267) 297

Galleyrand, J.-C., see Lallement, J.-C. (267) 297
Gambari, R., see Feriotto, G. (267) 143
George, S.R., see Ng, G.YK. (267) 7
Giacomini, P., see Feriotto, G. (267) 143
Gurwitz, D., Haring, R., Heldman, E., Fraser, C.M., Manor, D. and Fisher, A.
Discrete activation of transduction pathways associated with acetylcholine m1 receptor by several muscarinic ligands (267) 21

Hale, C.C., see Shannon, T.R. (267) 233
Hampson, D.L., see Taverna, F.A. (267) R3
Hancock, A.A., Surber, B.W., Rotert, G., Thomas, S., Tasker, A.S., Sorensen, B.K., Vodenlich, A.D., Opgenorth, T.J., Kerkman, D.J. and DeBernardis, J.F.
[^{3}H]A-81988, a potent, selective, competitive antagonist radioligand for angiotensin AT_1 receptors (267) 49
Hansen, A., see Pedersen, U.B. (267) 85
Haring, R., see Gurwitz, D. (267) 21
Harris, B.A., see McClue, S.J. (267) 185
Harris, B.D., Moody, E.J., Basile, A.S. and Skolnick, P.
Volatile anesthetics bidirectionally and stereospecifically modulate ligand binding to GABA receptors (267) 269
Hashimoto, K., see Hirasawa, A. (267) 71
Hasna, J., see Chen, X. (267) 175
Hattori, R., Inoue, R., Sase, K., Eizawa, H., Kosuga, K., Aoyama, T., Masayasu, H., Kawai, C., Sasayama, S. and Yui, Y.
Preferential inhibition of inducible nitric oxide synthase by ebselen (267) R1
Heldman, E., see Gurwitz, D. (267) 21
Helmeste, D.M. and Tang, S.W.
Kinase inhibitors compete with imipramine for binding and inhibition of serotonin transport (267) 239
Herzog, H., see Potter, E.K. (267) 253
Hirasawa, A., Hashimoto, K. and Tsujimoto, G.
Distribution and developmental change of vasopressin V_{1A} and V_2 receptor mRNA in rats (267) 71
Hirouchi, M., see Ichida, T. (267) 43
Hopfer, U., see Jarry, A. (267) 95

Ichida, T., Hirouchi, M., Mizutani, H., Narihara, R. and Kuriyama, K.
Association and agonistic action of DN-2327, a novel isoindoline derivative, on $GABA_B$ receptor in brain (267) 43
Ichimura, M., see Nonaka, H. (267) 335
IJzerman, A.P., see Borea, P.A. (267) 55
Inoue, R., see Hattori, R. (267) R1

Jacobsson, G., see Meister, B. (267) 323
Jarry, A., Merlin, D., Velcich, A., Hopfer, U., Augenlicht, L.H. and Laboisse, C.L.
Interferon-γ modulates cAMP-induced mucin exocytosis without affecting mucin gene expression in a human colonic goblet cell line (267) 95
Jensen, A.A., see Pedersen, U.B. (267) 85
Joseph, D.B. and Bidlack, J.M.
The κ-opioid receptor expressed on the mouse lymphoma cell line R1.1 contains a sulfhydryl group at the binding site (267) 1

Kanaide, H., see Chen, X. (267) 175
Kase, H., see Nonaka, H. (267) 335
Kawai, C., see Hattori, R. (267) R1
Kerkman, D.J., see Hancock, A.A. (267) 49
Khan, Z., see Ruano, D. (267) 121
Kiang, J.G.
Corticotropin-releasing factor increases $[Ca^{2+}]_i$ via receptor-mediated Ca^{2+} channels in human epidermoid A-431 cells (267) 135
Kobayashi, S., see Chen, X. (267) 175
Kosuga, K., see Hattori, R. (267) R1
Kurita, M., see Miyamoto, K.-i. (267) 317
Kuriyama, K., see Ichida, T. (267) 43
Kurose, H., see Marjamäki, A. (267) 117

Laboisse, C.L., see Jarry, A. (267) 95
Lafontan, M., see Larrouy, D. (267) 225
Lallement, J.-C., Galleyrand, J.-C., Lima-Leite, A.-C., Fulcrand, P. and Martinez, J.
Gastrin$_{13}$ and the C-terminal octapeptide of cholecystokinin are differently coupled to G-proteins in guinea-pig brain membranes (267) 297
Larrouy, D., Remaury, A., Daviaud, D. and Lafontan, M.
Coupling of inhibitory receptors with G_i-proteins in hamster adipocytes: comparison between adenosine A_1 receptor and α_2-adrenoceptor (267) 225
Léger, S., see Charleson, S. (267) 275
Lima-Leite, A.-C., see Lallement, J.-C. (267) 297
Lombardi, P., see Feriotto, G. (267) 143
Lombet, A. and Spedding, M.
Differential effects of non-peptidic tachykinin receptor antagonists on Ca^{2+} channels (267) 113
Lopes, M.C., see Santos, D.L. (267) 307
Luo, D. and Vincent, S.R.
Metalloporphyrins inhibit nitric oxide-dependent cGMP formation in vivo (267) 263

MacDermot, J., see Boyd, R.S. (267) 161
MacDonald, J.F., see Fletcher, E.J. (267) 249
MacDonald, J.F., see Taverna, F.A. (267) R3
Machado, A., see Ruano, D. (267) 121
Maciocco, E., see Concas, A. (267) 207
Madras, B.K., Reith, M.E.A., Meltzer, P.C. and Dutta, A.K.
O-526, a piperidine analog of GBR 12909, retains high affinity for the dopamine transporter in monkey caudate-putamen (267) 167
Mailleux, P. and Vanderhaeghen, J.-J.
δ-9-Tetrahydrocannabinol regulates substance P and enkephalin mRNAs levels in the caudate-putamen (267) R1
Manor, D., see Gurwitz, D. (267) 21
Marjamäki, A., Pohjanoksa, K., Ala-Uotila, S., Sizmann, D., Oker-Blom, C., Kurose, H. and Scheinin, M.
Similar ligand binding in recombinant human α_2C2-adrenoceptors produced in mammalian, insect and yeast cells (267) 117
Martinez, J., see Lallement, J.-C. (267) 297
Masayasu, H., see Hattori, R. (267) R1
Mascia, M.P., see Concas, A. (267) 207
McCloskey, M.J.D., see Potter, E.K. (267) 253
McClue, S.J., Baron, B.M. and Harris, B.A.
Activation of G_i protein by peptide structures of the muscarinic M_2 receptor second intracellular loop (267) 185
Meister, B. and Jacobsson, G.
Segment-specific expression of messenger RNA encoding for a glutamate transporter by renal tubule cells (267) 323
Meltzer, P.C., see Madras, B.K. (267) 167
Merlin, D., see Jarry, A. (267) 95
Meßmer, U.K., see Dimmeler, S. (267) 105
Meysmans, L., see Chatelain, P. (267) 151
Mischiati, C., see Feriotto, G. (267) 143
Miyamoto, K.-i., Kurita, M., Ohmae, S., Sakai, R., Sanae, F. and Takagi, K.
Selective tracheal relaxation and phosphodiesterase-IV inhibition by xanthine derivatives (267) 317
Mizutani, H., see Ichida, T. (267) 43
Moody, E.J., see Harris, B.D. (267) 269
Morrow, A.L., see Devaud, L.L. (267) 243
Mouillac, B., see Ng, G.YK. (267) 7
Myers, J., see West, Jr., R.E. (267) 343

Narihara, R., see Ichida, T. (267) 43
Ng, G.YK., Mouillac, B., George, S.R., Caron, M., Dennis, M., Bouvier, M. and O'Dowd, B.F.
Desensitization, phosphorylation and palmitoylation of the human dopamine D_1 receptor (267) 7

Nishimura, J., see Chen, X. (267) 175
Nonaka, H., Ichimura, M., Takeda, M., Nonaka, Y., Shimada, J., Suzuki, F., Yamaguchi, K. and Kase, H.
KF17837 ((*E*)-8-(3,4-dimethoxystyryl)-1,3-dipropyl-7-methylxanthine), a potent and selective adenosine A_2 receptor antagonist (267) 335
Nonaka, Y., see Nonaka, H. (267) 335
Norby, B., see Pedersen, U.B. (267) 85

O'Dowd, B.F., see Ng, G.YK. (267) 7
Ohmae, S., see Miyamoto, K.-i. (267) 317
Okamoto, K., see Sakuta, H. (267) 281
Oker-Blom, C., see Marjamäki, A. (267) 117
Opgenorth, T.J., see Hancock, A.A. (267) 49

Patel, S. and Freedman, S.B.
The muscarinic receptor agonist L-658,903 modulates the in vivo accumulation of inositol monophosphates in mouse brain (267) 329
Patel, S., see Smith, A.J. (267) 215
Pedersen, U.B., Norby, B., Jensen, A.A., Schiødt, M., Hansen, A., Suhr-Jessen, P., Scheideler, M., Thastrup, O. and Andersen, P.H.
Characteristics of stably expressed human dopamine D_{1a} and D_{1b} receptors: Atypical behavior of the dopamine D_{1b} receptor (267) 85
Perrier, H., see Charleson, S. (267) 275
Pohjanoksa, K., see Marjamäki, A. (267) 117
Potter, E.K., Barden, J.A., McCloskey, M.J.D., Selbie, L.A., Tseng, A., Herzog, H. and Shine, J.
A novel neuropeptide Y analog, *N*-acetyl [Leu^{28},Leu^{31}]neuropeptide Y-(24–36), with functional specificity for the presynaptic (Y_2) receptor (267) 253
Prasit, P., see Charleson, S. (267) 275

Reith, M.E.A., see Madras, B.K. (267) 167
Remaury, A., see Larrouy, D. (267) 225
Rotert, G., see Hancock, A.A. (267) 49
Ruano, D., Khan, Z., De Blas, A.L., Machado, A. and Vitorica, J.
Molecular heterogeneity of the type I $GABA_A$/benzodiazepine receptor complex (267) 121
Ruskoaho, H., see Tokola, H. (267) 195

Sakai, R., see Miyamoto, K.-i. (267) 317
Sakuta, H., Okamoto, K. and Tandai, M.
Atrial natriuretic factor potentiates glibenclamide-sensitive K^+ currents via the activation of receptor guanylate cyclase in follicle-enclosed *Xenopus* oocytes (267) 281
Salo, K., see Tokola, H. (267) 195
Sanae, F., see Miyamoto, K.-i. (267) 317
Santoro, G., see Concas, A. (267) 207
Santos, D.L., Lopes, M.C. and Carvalho, C.M.
Calcium channel blockers inhibit the (Ca^{2+} + Mg^{2+})-ATPase activity and the ^{125}I-calmodulin binding in brain membranes (267) 307
Sasayama, S., see Hattori, R. (267) R1
Sase, K., see Hattori, R. (267) R1
Scheideler, M., see Pedersen, U.B. (267) 85
Scheinin, M., see Marjamäki, A. (267) 117
Schiødt, M., see Pedersen, U.B. (267) 85
Selbie, L.A., see Potter, E.K. (267) 253
Shannon, T.R. and Hale, C.C.
Identification of a 65 kDa endothelin receptor in bovine cardiac sarcolemmal vesicles (267) 233
Shiao, M.-S., see Wang, C.-N. (267) 33
Shikasho, T., see Chen, X. (267) 175
Shimada, J., see Nonaka, H. (267) 335
Shine, J., see Potter, E.K. (267) 253
Siegel, M.I., see West, Jr., R.E. (267) 343
Sizmann, D., see Marjamäki, A. (267) 117
Skolnick, P., see Harris, B.D. (267) 269
Smith, A.J., Patel, S. and Freedman, S.B.
Characterisation of CCK_B receptors on GH_3 pituitary cells: receptor activation is linked to Ca^{2+} mobilisation (267) 215
Sorensen, B.K., see Hancock, A.A. (267) 49
Spedding, M., see Lombet, A. (267) 113
Suhr-Jessen, P., see Pedersen, U.B. (267) 85
Surber, B.W., see Hancock, A.A. (267) 49
Suzdak, P.D., see Thomsen, C. (267) 77
Suzuki, F., see Nonaka, H. (267) 335

Takagi, K., see Miyamoto, K.-i. (267) 317
Takeda, M., see Nonaka, H. (267) 335
Tandai, M., see Sakuta, H. (267) 281
Tang, S.W., see Helmeste, D.M. (267) 239
Tasker, A.S., see Hancock, A.A. (267) 49
Taverna, F.A., Cameron, B.-R., Hampson, D.L., Wang, L.-Y. and MacDonald, J.F.
Sensitivity of AMPA receptors to pentobarbital (267) R3
Thastrup, O., see Pedersen, U.B. (267) 85
Thomas, S., see Hancock, A.A. (267) 49
Thomsen, C., Boel, E. and Suzdak, P.D.
Actions of phenylglycine analogs at subtypes of the metabotropic glutamate receptor family (267) 77
Tiegs, G., see Dimmeler, S. (267) 105
Tokola, H., Salo, K., Vuolteenaho, O. and Ruskoaho, H.
Basal and acidic fibroblast growth factor-induced atrial natriuretic peptide gene expression and secretion is inhibited by staurosporine (267) 195
Tseng, A., see Potter, E.K. (267) 253
Tsujimoto, G., see Hirasawa, A. (267) 71

Vanderhaeghen, J.-J., see Mailleux, P. (267) R1
Vanscheeuwijck, P., see Fraeyman, N. (267) 63
Varani, K., see Borea, P.A. (267) 55
Velcich, A., see Jarry, A. (267) 95
Vickers, P.J., see Charleson, S. (267) 275
Vieytes, M.R., see Alfonso, A. (267) 289
Vincent, S.R., see Luo, D. (267) 263
Vitorica, J., see Ruano, D. (267) 121
Vodenlich, A.D., see Hancock, A.A. (267) 49
Vuolteenaho, O., see Tokola, H. (267) 195

Wang, C.-N., Chen, J.-S., Shiao, M.-S. and Wang, C.-T.
Activation of human platelet phospholipases C and A_2 by various oxygenated triterpenes (267) 33
Wang, C.-T., see Wang, C.-N. (267) 33
Wang, L.-Y., see Taverna, F.A. (267) R3
Wang, Z., see Charleson, S. (267) 275
West, Jr., R.E., Myers, J., Zweig, A., Siegel, M.I., Egan, R.W. and Clark, M.A.
Steroid-sensitivity of agonist binding to pituitary cell line histamine H_3 receptors (267) 343

Yamaguchi, K., see Nonaka, H. (267) 335
Yui, Y., see Hattori, R. (267) R1

Zweig, A., see West, Jr., R.E. (267) 343